

MEMORANDUM REPORT BRL-MR-3720

BRL

1938 - Serving the Army for Fifty Years - 1988

DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS

RONALD A. SASSÉ MARK A. DAVIES ROBERT A. FIFER MADELYN M. DECKER ANTHONY J. KOTLAR

DECEMBER 1988



04034303

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

88 12 3 039

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

Laboratory SLCBR-IB 6c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION 8b. OFFICE SYMBOL (If applicable) 9. PROCUREMENT III 10. SOURCE OF FUR PROGRAM	REPORT DOCUMENTATION PAGE		
28. SECURITY CLASSIFICATION AUTHORITY 2b. DECLASSIFICATION / DOWNGRADING SCHEDULE A PERFORMING ORGANIZATION REPORT NUMBER(S) 5 MONITORING OR BRL-MR-372D 6a. NAME OF PERFORMING ORGANIZATION US Army Ballistic Research Laboratory 6c. ADDRESS (City, State, and ZiP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING / SPONSORING ORGANIZATION Aberdeen Proving Ground, MD 21005-5066 8c. ADDRESS (City, State, and ZiP Code) 10. SOURCE OF FUR PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) R.A. Sasse', M.A. Davies, * R.A. Fifer, M.M. Decker, A.J. Kot 13a. Type Of REPORT Final 13b. TIME COVERED FORM Mar 88 TO Sep 88 14. DATE OF REPORT FINAL 15 SUB-ECT TERMS (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proported and content of such salt solutions were measured using water and content of suring water and content of	ARKINGS	J	
APPROVED FOR DISTRIBUTION 4. PERFORMING ORGANIZATION REPORT NUMBER(S) 5. MONITORING OR BRL-MR-372D 6a. NAME OF PERFORMING ORGANIZATION US Army Ballistic Research Laboratory 6c. ADDRESS (City, State, and ZiP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION 8b. OFFICE SYMBOL (If applicable) 7b. ADDRESS (City, (If applicable) 7c. ADDRESS (City, (If applicable) 10. SOURCE OF FUP PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) R.A. Sasse', M.A. Davies, * R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT Final 13b. TIME COVERED FROM Mar 88 TO Sep 88 14. DATE OF REPORT Final 15 SUBJECT TERMS (Continue on reverse of Density, Hydroxylammonium Nityloroxylammonium nitrate is miscible with water in all proportions of such salt solutions were measured using water and densities of such salt solutions were measured using water and densities of such salt solutions were measured using water and solutions were	AVAILABILITY OF B	REPORT	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) 5. MAME OF PERFORMING ORGANIZATION US Army Ballistic Research Laboratory 6. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION 6c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION 6c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUI PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) 12. PERSONAL AUTHOR(S) 13. TYPE OF REPORT Final 13b. TIME COVERED FROM Mar 88 10. Sep 88 14. Date of Report Final 15b. TIME COVERED FROM Mar 88 16 SUPPLEMENTARY NOTATION *National Research Council Associate 17 COSATI CODES 18. SUBJECT TERMS (Continue on reverse if Personal Mentify by block number) Hydroxylammonium nitrate is miscible with water in all propodensities of such salt solutions were measured using water and proposed and content and con	R PUBLIC REL		
6a. NAME OF PERFORMING ORGANIZATION US Army Ballistic Research Laboratory SLCBR-IB 6c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION (If applicable) 8c. ADDRESS (City, State, and ZIP Code) 8c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUE PROGRAM	N UNLIMITED		
6a. NAME OF PERFORMING ORGANIZATION US Army Ballistic Research Laboratory SLCBR-IB 7b. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION 8c. ADDRESS (City, State, and ZIP Code) 8c. ADDRESS (City, State, and ZIP Code) 8c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FURPROGRAM FLEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) R.A. Sasse', M.A. Davies,* R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT Final 13b. TIME COVERED FROM Mar 88 TO Sep 88 14. DATE OF REPORT Final 16. SUPPLEMENTARY NOTATION *National Research Council Associate 17. COSATI CODES FIELD GROUP SUB-GROUP 19 01 Density, Hydroxylammonium Ni 21 02 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proportions of such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such salt solutions were measured using water and continue on reverse in such sa	RGANIZATION REP	ORT NU	MBER(S)
Laboratory SLCBR-IB 6c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION 8c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUR PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) 13. TYPE OF REPORT 13b. TIME COVERED FROM Mar 88 TO Sep 88 16. SUPPLEMENTARY NOTATION *National Research Council Associate 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if Pield GROUP 19 Ot 21 O	n .		
Laboratory SLCBR-IB 6c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION 8c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUE PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) R.A. Sasse', M.A. Davies,* R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT Final 13b. TIME COVERED FROM Mar 88 TO Sep 88 16. SUPPLEMENTARY NOTATION *National Research Council Associate 17. COSATI CODES 18. SUBJECT TERMS (Continue on reverse if PLD GROUP Density, Hydroxylammonium Ni 21 02 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proportions of such salt solutions were measured using water and continue on reverse in the subject of such salt solutions were measured using water and continue on reverse in the subject of such salt solutions were measured using water and continue on reverse in the subject of such salt solutions were measured using water and continue on reverse in the subject of such salt solutions were measured using water and continue on reverse in the subject of such salt solutions were measured using water and continue on reverse in the subject of such salt solutions were measured using water and continue on reverse in the subject of such salt solutions were measured using water and continue on reverse in the subject of such salt solutions were measured using water and subject of such salt solutions were measured using water and subject of such salt solutions were measured using water and subject of such salt solutions were measured using water and subject of such salt solutions were measured using water and subject of such salt solutions were measured using water and subject of such salt solutions were measured using water and subject of such salt solutions were measured using water and subject of such salt solutions were subject of such salt solutions	NITORING ORGANIZ	ZATION	
Aberdeen Proving Ground, MD 21005-5066 8a. NAME OF FUNDING/SPONSORING ORGANIZATION 8c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUE PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) R.A. Sasse', M.A. Davies,* R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT Final 13b. TIME COVERED FROM MAT 88 TO Sep 88 14. DATE OF REPORT FINAL 15 SUPPLEMENTARY NOTATION *National Research Council Associate 17. COSATI CODES FIELD GROUP SUB-GROUP 19 01 Density, Hydroxylammonium Ni 21 02 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proportions of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions were measured using water as a second order counties of such salt solutions water and salt salt salt salt salt salt salt salt	out Pour Carlos Salas Salas Salas S		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION 8c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUP PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) R.A. Sasse', M.A. Davies,* R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT Final 13b. TIME COVERED FROM Mar 88 TO Sep 88 14. DATE OF REPORT FINAL 15. SUPPLEMENTARY NOTATION *National Research Council Associate 17. COSATI CODES FIELD GROUP SUB-GROUP 19 01 Density, Hydroxylammonium Ni 21 102 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proponed and states and states and states are reasoned using water as a second condition of the states and states are reasoned using water as a second condition of the states and states are reasoned using water as a second condition of the states and states are reasoned using water as a second condition of the states and states are reasoned using water as a second condition of the second conditions were measured using water as a second condition of the second conditions were measured using water as a second condition of the second conditions were measured using water as a second condition of the second conditions were measured using water as a second condition of the second conditions were measured using water as a second condition of the second condit	State, and ZIP Coo	de)	
ORGANIZATION (If applicable) 8c. ADDRESS (City, State, and ZIP Code) 10. SOURCE OF FUE PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) R.A. Sasse', M.A. Davies,* R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT Final 13b. TIME COVERED FROM Mar 88 TO Sep 88 16. SUPPLEMENTARY NOTATION *National Research Council Associate 17. COSATI CODES FIELD GROUP 19 01 21 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all propodensities of such salt solutions were measured using water and continue on reverse in all propodensities of such salt solutions were measured using water and continue on reverse in all propodensities of such salt solutions were measured using water and continue on reverse in all proposes.	. 1.		
PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(5) R.A. Sasse', M.A. Davies,* R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT	INSTRUMENT IDEN	TIFICATI	ON NUMBER
PROGRAM ELEMENT NO. 61102A 11. TITLE (Include Security Classification) DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(5) R.A. Sasse', M.A. Davies,* R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT	MOING NI IMPERS	-	
DENSITY OF HYDROXYLAMMONIUM NITRATE SOLUTIONS 12. PERSONAL AUTHOR(S) R.A. Sasse', M.A. Davies,* R.A. Fifer, M.M. Decker, A.J. Kot 13a. TYPE OF REPORT Final 13b. TIME COVERED FROM MAY 88 TO Sep 88 14 DATE OF REPORT FROM MAY 88 TO Sep 88 16. SUPPLEMENTARY NOTATION *National Research Council Associate 17. COSATI CODES FIELD GROUP SUB-GROUP 19 O1 Density, Hydroxylammonium Ni 21 02 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proportions of such salt solutions were measured using water as	PROJECT T	TASK NO.	WORK UNIT ACCESSION NO.
FIELD GROUP SUB-GROUP 19 01 21 02 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proportions the such salt solutions were measured using water and appropriate the such salt solutions were measured using water and appropriate the such salt solutions were measured using water and successful salts.		ay) 15.	PAGE COUNT
Density, Hydroxylammonium Ni 21 19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proportions the second order constitutions were measured using water and account order constitutions.	if necessary and is	dentify l	by block number)
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Hydroxylammonium nitrate is miscible with water in all proportions the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using water and account of the solutions were measured using the solutions were measured as a solution with the solution water and the solution water and the solution water and the solution water an	itrate, HAN,	LP,	LPG, dHAN
	and deuteriu	m oxid	de as solvents.
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT 21 ABSTRACT SECT	HOLFY OF ACCUSES	71041	
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED SAME AS RPT DTIC USERS LITTLE LASTRACT SECTION OF LASTRACT	issifed	HUN	
22a. NAME OF RESPONSIBLE INDIVIDUAL 22b TELEPHONE (In MR. RONALD A. SASSE! 301-279			FFICE SYMBOL SLCBR-IB-I

TABLE OF CONTENTS

					Page
INTRODUCTION		•••••	•••••	• • • • • • • • •	5
DISCUSSION	•••••	•••••	•••••		8
REFERENCES		•••••		• • • • • • • • •	9
APPENDIX 1	• • • • • •	•••••		• • • • • • • • •	11
DISTRIBUTION LI	ST	•••••	••••••	• • • • • • • • • • •	13
				en e	
Accession For		1 3 3 3 3 3 3			
NTIS GRA&I DTIC TAB Unannounced	A C				

Acce	ssion For	1 3 6 6 6
NTIS		
DTIC		
	nounced 🗍	
Just	ification	
By		
Dist	1	
Ava	lability Codes	INSPECTED
	Avail and/or	· •
Dist	Special	
Â		
H-1		

3

I. INTRODUCTION

Through the long term Liquid Propellant Program at the BRL, there was a need to measure the density of ingredients for one or more purposes and approximate measurements were made to satisfy various requirements as they existed at particular times. Measurements were made at varying room temperatures during a particular series of days and this generated some useful data as opposed to conducting a careful and systematic study. Sasse' in 1976 used an approximate equation for the density, ρ , in g/cm^3 , of hydroxylammonium nitrate solutions, HAN, derived from data from 1 to 13 M. The equation was:

$$\rho = 1.0000 + 0.0369 \text{ M} \tag{1}$$

He made the suggestion that as a first approximation, the ingredients of HAN based liquid propellants when added one to another acted as independent volume elements much like "marbles". In this approximation the density of pure HAN was inferred, by experiments, to be 1.81 g/cm³ and this value was used later by Freedman and Travis² to estimate propellant concentrations and densities as input to thermodynamic calculations.

The first disclosure that the density/concentration relationship may not be linear was offered by Biddle³ who related hydrometer readings to concentration. In this work two hydrometers of different radii were used and surface tension corrections were not made; also, these measurements were conducted at the room temperature experienced at particular days. Such readings were compiled as a practical expedient for establishing production guides and criteria for maintaining and evaluating evaporation methodology. He showed a single regression line, but not the individual data points, embracing all data from 2.1 to 17.3 M HAN. The equation was given as:

$$M = 26.04p - 26.38 \tag{2}$$

which can be transformed to:

$$\rho = 1.013 + 0.0384 \text{ M} \tag{3}$$

To meet the production goal of 13 M he also made and graphed extensive hydrometer measurements representing the very limited concentration interval of 11.7 to 14.3 M. He presented these values in tabular form in units of percent concentration. Further, he assumed that he could represent the percent concentration/density data, which is a curving function, as a limited linear segment, and gave an equation for that regression line. From his table of percent concentrations and densities, molarity can be calculated. A linear regression equation of this data was uniquely reported in a physical properties paper over this limited range as:

$$\rho = 1.12292 + 0.03099 \text{ M} \tag{4}$$

This line is given in Figure 1 of this paper together with Biddle's regression line representing all of his data from 2.1 to 17.3 M. The discontinuity between the treatment of the entire data set and an extracted subset, indicates that the density/concentration relationship may be curved; however, from the limited range of the data in the subset and noting the uncertainties involved, it is not clear that the purported curvature is significant. Biddle

used the equivalent of Eq. 4, but in units of percent concentration, in his evaporation task where the approximations involved did not effect his objective. However, he did not explore or discuss the implied curvature.




Figure 1. Biddle's Data Reference 3. Upper line is the linear regression line of all data and lower line is the linear regression line of a limited interval.

With the acquisition of temperature controlled density equipment* at the BRL, based on the measurement of the frequency of an oscillator, and the ability to make pure crystalline HAN (which was used to make concentrated solutions), encouraged us to re-examine the relationship between density and concentration. Further persuasion was offered by the fact that Decker of the BRL was routinely analyzing HAN solutions and Davies was preparing deuterated HAN (noted as dHAN) in D₂O for his diamond anvil cell infrared studies.) Rheingold, et al.,6 determined the density of pure crystalline HAN and dHAN by x-ray methods and Sasse' and Fifer measured the density of pure liquid HAN and dHAN with a pycnometer. Measurements are given in Table 1 and plotted in Figure 2. Decker titrated all HAN and dHAN solutions with strong base and determined the densities of HAN solutions while Davies measured densities of dHAN solutions made with D_2O . Both experimenters operated at $20.0^{\circ}C$. From measuring the density of pure water, the density determinations are judged to be accurate to about 0.14% and the HAN analysis has a precision of 4-5 parts per thousand.

^{*}Mettler/Parr Density Meter, Model DMA 55

Table 1. Density of HAN and dHAN and Their Solutions

HAN	•		dhan
Density g/cm ³	Concentration M		Density Concentration g/cm ³ M
0.99963	0.0-pure H ₂ 0		1.1053 0.0-pure D ₂ 0
1.02341	0.500		1.1662 1.336
1.12533	2.781	Contract to the second	1.1904 1.875
1.22919	5.232		1.2761 3.936
1.29636	6.858		1.4488 8.321
1.37548	8.839		1.6137 12.74
1.52306	12.622		1.69694 15.86*
1.65569	16.338		
1.68	17.5**	and the second s	1.841 18.40**
1.841	19.17***		1.916 19.15***

only value calculated by weight.

** anhydrous melt.

^{***} crystalline value, Reference 6.




Figure 2. Second Order Regression Lines for dHAN and HAN Systems.
Upper line is dHAN and lower line is HAN data. Squares are experimental data and crosses are calculated regression values. Filled in squares are crystalline values and filled in circles are pure melted compounds.

II. DISCUSSION

Recognizing the constraints, limitations, and concentration ranges employed by various investigators the collection of density relationships are all in general agreement. However it is hoped that the present data set reflects the effort of careful temperature control and the curvature noted in Figure 2 is reinforced by the availability of data at high concentrations. Second order least squares and linear regression analyses were performed by Kotlar using the data in Table 1 excluding crystalline values. Statistical details are given in the Appendix showing that second order equations better represent the data and the best fit equations are given below:

$$\rho_{\text{HAN}} = 0.9935 + 0.04630 \text{ M} - 0.0004007 \text{ M}^2 \text{ in H}_20$$
 (5)

$$\rho_{\text{dHAN}} = 1.1045 + 0.04646 \text{ M} - 0.0005581 \text{ M}^2 \text{ in } D_20$$
 (6)

One would expect that the curvature noted by the above equations would also be present in refractive incex functions, a parameter that some of us wish to document.

Some structural information may be deduced by including the crystalline and anhydrous liquid HAN values in the concentration plot given in Figure 1. For instance, if one considers the melting of an ionic crystal, then the melt contains the maximum number of . pairs possible, what ever that number might be. In the present case, HAN changes density from 1.841 to 1.68 upon melting and with the addition of increments of water one would expect the number of ion pairs to decrease until a dilute solution is achieved and only solvation takes place. If the observed curvature in the density plot is due to such effects, then ion pairs have a dominant effect upon this parameter from saturated solutions to ca. 8 M. Carrying this concept further, then dilute solutions would not show ion pairing but just free ions would exist and extrapolation of these data, 0 to 8 M, should intersect the crystalline density value. This is indeed the case, and such an extrapolation may be made in Figure 2 for both the HAN and dHAN data sets. The figure is too busy to make this construction and this task is left to the reader. The argument, if correct, implies that the ion pairs formed would have a greater volume than the sum of the volumes of its constituents.

It is the general conclusion of this report that the functional relationship between density and molar concentration of HAN solutions, over its entire concentration range, is represented by a second order equation that is very similar to the equation for the deuterated system.

REFERENCES

- 1. R.A. Sasse', BRL, private communication 1976.
- 2. E. Freedman and K.E. Travis, BRL, private communication 1981.
- 3. R.A. Biddle, "Concentration of HAN Solution," Morton Thiokol Inc., Elkton, MD. Final Contract Report DAAD05-84-M-6657, May 1985.
- 4. M.M. Decker, N. Klein, E. Freedman, C.S. Leveritt, and J.Q. Wojciechowski, "HAN-Based Liquid Gun Propellants: Physical Properties," BRL Report No. TR-2864, US Army Ballistic Research Laboratories, Aberdeen Proving Ground, MD, 1987.
- 5. M.A. Davies and R.A. Fifer, "High Pressure FTIR Studies of Aqueous HAN and dHAN Solutions Using Diamond Anvil Cell Techniques," in preparation.
- 6. A.L. Rheingold, J.T. Cronin, T.B. Brill, and F.K. Ross, "Structure of Hydroxylammonium Nitrate (HAN) and the Deuterium Homolog," <u>Acta Cryst.</u>, Vol. C43, pp. 402-404, 1987.

APPENDIX

A linear regression line and a second order regression fit was performed on both data sets, HAN and dHAN, given in Table 1. Concentration is in units of moles/liter(M) and density (p) is in units of grams/cubic centimeter.

Results are:

Table 2. Regression Analyses

	TO THE STATE OF TH	
Coefficient	Standard	
OCCITICACIA	Deviation	
	Deviacion	
HAN for: $\rho = Pl$	+ D2 (N)	
nan tor: p - ri	+ F2 (M)	
P1 = 1.0145	7 6000-3	
P2 = 3.9301E-2		
FZ - 3.9301E-2	7 • 7 20 E-4	
Density	1.4195E-2	
2222222	1071/36 6	
HAN for o = Pl	$+ P2 (M) + P3 (M^2)$	
inter tott p (1	12 (11) 1 13 (11)	
P1 = 0.9935	2.9838-3	
P2 = 4.6297E-2	8.771 F-4	
P3 = -4.0066E - 4	4.842E-5	
75 4100000	7,0728 3	
Density	4.3519E-3	

dhan for: p = t	1 + P2 (M)	
P1 = 1.1191	8.506E-3	
P2 = 3.7755E-2	1.003E-3	
Density	1.5086E-2	
	in the second section of the section of the second section of the	
dHAN for: $\rho = I$	$P1 + P2 (M) + P3 (M^2)$	
P1 = 1.1045		
P2 = 4.6458E-2		
P3 = -5.5811E-4	8.6/0E-5	
	8.6/0E-5	

It is interesting that the statistics for both the HAN and dHAN data are comparable and thus the experiments are of equal percision. This is the desired result; however, due to "improvements" such an occurrence is not seen too often.

The standard deviation for density using the quadratic equation is three times smaller than given by the linear equation; therefore, the data for HAN and dHAN are better represented by the quadratic equations given above. These equations are reproduced in the body of the text.

No. Of Copies	Organization	No. Of Copies	<u>Organization</u>
12	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station	1	Commander US Army Aviation Systems Command ATTN: AMSAV-DACL
•	Alexandria, VA 22304-6145		4300 Goodfellow Blvd. St. Louis, MO 63120-1798
1	HQ DA (SARD-TR) Washington, DC 20310	1	Director US Army Aviation Research
. 1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue		and Technology Activity Ames Research Center Moffett Field, CA 94035-1099
	Alexandria, VA 22333-0001	4	Commander US Army Research Office
	Commander US Army Laboratory Command ATTN: AMSLC-TD Adelphi, MD 20783-1145	· 	ATTN: R. Ghirardelli D. Mann R. Singleton R. Shaw P.O. Box 12211
1	Commander Armament R&D Center US Army AMCCOM		Research Triangle Park, NC 27709-2211
•	ATTN: SMCAR-MSI Pictinny Arsenal, NJ 07806-5000	1	Commander US Army Communications - Electronics Command
1	Commander Armament R&D Center US Army AMCCOM		ATTN: AMSEL-ED Fort Monmouth, NJ 07703
	ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000	2	Commander Armament R&D Center US Army AMCCOM
1 -	Director Benet Weapons Laboratory Armament R&D Center US Army AMCCOM ATTN: SMCAR-LCB-TL		ATTN: SMCAR-LCA-G, D.S. Downs I.A. Lannon Dover, NJ 07801
,	Watervliet, NY 12189-4050	1	Commander Armament R&D Center
1	Commander US Army Armament, Munitions and Chemical Command ATTN: SMCAR-ESP-L Rock Island, IL 61299-7300		US Army AMCCOM ATTN: SMCAR-LC-G, L. Harris Dover, N.I 07801

No. Of Copies	Organization	No. Of Copies	Organization
1	Commander	1	Office of Naval Research
	Armament R&D Center		Department of the Navy
	US Army AMCCOM		ATTN: R.S. Miller, Code 432
	ATTN: SMCAR-SCA-T,		800 N. Quincy Street
	L. Stiefel		Arlington, VA 22217
	Dover, NJ 07801		
		1	ommander
2	Commander		Naval Air Systems Command
	US Army Missile Command		ATTN: J. Ramnarace,
	ATTN: AMSMI-RD		AIR-54111C
	AMSMI-AS		Washington, DC 20360
	Redstone Arsenal, AL 35898-5000		
		2	Commander
2	Commander		Naval Ordnance Station
	US Army Missile Command		ATTN: C. Irish
	ATIN: AMSMI-RK, D.J. Ifshin		P.L. Stang, Code 515
	W. Wharton		Indian Head, MD 20640
	Redstone Arsenal, AL 35898	$ \cdot \cdot$	
		1	Commander
1	Commander		Naval Surface Weapons Center
	US Army Missile Command		ATTN: J.L. East, Jr., G-23
	ATTN: AMSMI-RKA, A.R. Maykut		Dahlgre , VA 22448-5000
	Redstone Arsenal, AL 35898-5249		
		2	Commander
1	Commander		Naval Surface Weapons Center
	US Army Tank Automotive Cmd		ATTN: R. Bernecker, R-13
	ATTN: AMSTA-DI		G.B. Wilmot, R-16
	Warren, MI 48090		Silver Spring, MD 20902-5000
	Dimension		
1	Director	5	Commander
	US Army TRADOC Analysis Cmd	A Town	Naval Research Laboratory
	ATTN: ATAA-SL		ATTN: M.C. Lin
	White Sands Missile Range, NM 88002-5502		J. McDonald
	NM 56002-3302		E. Oran
1 :	Commandant		J. Shnur
1	US Army Infantry School		R.J. Doyle, Code 6110
	ATTN: ATSH-CD-CSO-OR		Washington, DC 20375
	Fort Benning, GA 31905-5400	•	Commanding Officer
	fort benning, on 31703 3400	1	Naval Underwater Systems
. 1	Commander		and the second s
1	US Army Development and		Center Weapons Dept. ATTN: R.S. Lazar/Code 36301
	Employment Agency		Newport, RI 02840
	ATTN: MODE-ORO		Newport, RI U2040
	Fort Lewis, WA 98433-5000	1	Superintendent
	*016 Hears 44 10433 3000	. 1	Naval Postgraduate School
			Dept. of Aeronautics
			ATTN: v.W. Netzer
			Monterey, CA 93940
			invitegred our 23240

No. Of		No. Of	
Copies	Organization	Copies	Organization
4	A PROPERTY OF		
4	AFRPL/DY, Stop 24	1 .	Applied Combustion
	ATTN: R. Corley		Technology, Inc.
	R. Geisler		ATTN: A.M. Varney
	J. Levine		P.O. Box 17885
	D. Weaver		Orlando, FL 32860
	Edwards AFB, CA 93523-5000		32,000
1	APPRI / M/DP CA O/	2	Applied Mechanics Reviews
	AFRPI/MKPB, Stop 24 ATTN: B. Goshgarian		The American Society of
	Edwards AFB, CA 93523-5000		Mechanical Engineers
	Edwards Arn, CA 93523-5000		ATTN: R.E. White
. 1	AFOSR		A.B. Wenzel
	ATTN: J.M. Tishkoff		345 E. 47th Street
	Colling Air Force Base		New York, NY 10017
	Washington, DC 20332		
	washington, 100 20332	1	Atlantic Research Corp.
1	Air Force Arnament Laboratory	:	ATTN: M.K. King
-	ATTN: AFATL/DLODL		5390 Cherokee Avenue
	Eglin 15B, Fi. 32542-5000		Alexandria, VA 22314
1	AFWL/SUL	. 1	Atlantic Research Corp.
_	Kirtland AFB, NM 87117		ATTN: R.H.W. Waesche
	, , , , , , , , , , , , , , , , , , ,		7511 Wellington Road
1	NASA		Gainesville, VA 22065
	Langley Research Center		
	Langley Station	ţ	AVCO Everett Rsch. Lab. Div.
	ATTN: G.B. Northam/MS 168		ATTN: 0. Stickler
	Hampton, VA 23365		2385 Revere Beach Parkway
			Everett, MA 02149
4	National Bureau of Standards	1	Batter 11 W
	ATTN: J. Hastie	1	Battelle Memorial Institute
	M. Jacox		Tactical Technology Center ATTN: J. Huggins
	T. Kashiwagi		505 King Avenue
	H. Semerjian	-	Columbus, OH 4320;
	US Department of Commerce		4)21) i
	Washington, DC 20234	1	Cohen Professional Services
,	000/0010/000	•	ATTN: N.S. Cohen
	OSD/SDIO/UST		141 Channing Street
	ATTN: L.H. Caveny		Redlands, CA 92373
	Pentagon		72373
	Washington, DC 20301-7100	l	Exxon Research & Eng. Co.
1	Annalus California &		ATTN: A. Dean
	Aerojet Solid Propulsion Co.	•	Route 22E
	ATTN: P. Micheli	-	Annandale, NJ 08801
	Sacramento, CA 95813		• • • • • •

of			
No. Of		No. Of	
Copies	Organization	Copies	Organization
1	Ford Aerospace and	1	Hanayer 11 Tax
_	Communications Corp.		Honeywell, Inc.
	DIVAD Division		Government and Aerospace
			Products
	Niv. Hq., Irvine ATTN: D. Williams	$x_i + x_{i+1} + \dots + x_i^*$	ATTN: D.E. Broden/
	the control of the co		MS MN50-2000
	Main Street & Ford Road		600 2nd Street NE
	Newport Beach, CA 92663		Hopkins, MN 55343
1	General Applied Science	1	IBM Corporation
7	Laboratories, Inc.	e e e e e e e e e e e e e e e e e e e	ATTN: A.C. Tam
	77 Raynor Avenue		· ·
	Ronkonkama, NY 11779-6649		Research Division
	Rottkottkama, NI 11//3-0044		5600 Cottle Road
•	Company Plantal Amaza		San Jose, CA 95193
1	General Electric Armament		
	& Electrical Systems	1	IIT Research Institute
.*	ATTN: M.J. Bulman		ATTN: R.F. Remaly
	Lakeside Avenue		10 West 35th Street
	Burlington, VT 05401		Chicago, IL 60616
1 .	General Electric Company	2	Director
	2352 Jade Lane		Lawrence Livermore
•	Schenectady, NY 12309		National Laboratory
	,		ATTN: C. Westbrook
1	General Electric Ordnance		M. Costantino
•	Systems		
	ATTN: J. Mandzy		P.O. Box 808
	100 Plastics Avenue		Livermore, CA 94550
	Pittsfield, MA 01203		
	ricusticia, ma (1120)	1	Lockheed Missiles & Space Co. ATTN: George Lo
2	General Motors Ruch Labs	. The second	3251 Hanover Street
	Physics Department		
	ATTN: T. Sloan		Dept. 52-35/B204/2
	R. Teets		Palo Alto, CA 94304
	Warren, MI 48090	•	
	warren, 111 40070	1	Los Alamos National Lab
2	Margulas The		ATTN: B. Nichols
. ~	Hercules, Inc.		T7 , MS-B284
	Allegany Ballistics Lab.		P.O. Box 1663
	ATTN: R.R. Miller		Los Alamos, NM 87545
	E.A. Yount		
	P.O. Box 210	1	National Science Foundation
	Cumberland, MD 21501	* •	ATTN: A.B. Harvey
		•	Washington, DC 20550
1	Hercules, Inc.	•	
	Bacchus Works	1	Olin Corporation
	ATTN: K.P. McCarty		Smokeless Powder Operations
	P.O. Box 98		ATTN: V. McDonald
	Magna, UT 84044	8 200	P.O. Box 222
			St. Marks, FL 32355
)

٠.	No. Of Coples	Organization	No. Of Copies	Organization
	.,	Paul Gough Associates, Inc.		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
		ATTN: P.S. Gough	1	Stevens Institute of Tech.
	2.00			Davidson Laboratory
		1048 South Street		ATTN: R. McAlevy, III
		Portsmouth, NH 03801		Hoboken, NJ 07030
	2	Princeton Combustion	1	Textron, Inc.
-		Research Laboratories, Inc.		Bell Aerospace Co. Division
-		ATTN: M. Summerfield		ATTN: T.M. Ferger
•		N.A. Messina		P.O. Box 1
		475 US Highway Ore		Buffalo, NY 14240
		Monmouth Junction, NJ 08852	٠	Bullato, NI 14240
		•	1	Thiokol Corporation
	1	Hughes Aircraft Company	•	Elkton Division
	. *	ATTN: T.E. Ward		ATTN: W.N. Brundige
		8433 Fallbrook Avenue		P.O. Box 241
		Canoga Park, CA 91303		Elkton, MD 21921
		duninga fack, on 71373		FIREOU, MD 21721
	. 1	Rockwell International Corp.	1	Thickel Corporation
		Rocketdyne Division		Huntsville Division
		ATTN: J.E. Flanagan/HBO2		ATTN: R. Glick
		6633 Canoga Avenue		Huntsville, AL 35807
		Canoga Park, CA 91304		
			3	Thickel Corporation
	4	Sandia National Laboratories		Wasatch Division
		Combustion Sciences Dept.		ATTN: S.J. Bennett
		ATTN: R. Cattolica	*	P.O. Box 524
		S. Johnston		Brigham City, UT 84302
	2	P. Mattern		original oroy, we wrote
*		D. Stephenson	1 .	TRW
		Livermore, CA 94550	•	ATTN: M.S. Chou
				MSRI-1016
	1	Science Applications, Inc.		1 Parke
	-	ATTN: R.B. Edelman		Redondo Beach, CA 90278
		23146 Cumorah Crest		Reduction Deach, CA 20270
		Woodland Hills, CA 91364	1	United Technologies
		nooniana niiny on viiny	•	ATTN: A.C. Eckbreth
	1	Science Applications, Inc.		
	•	ATTN: H.S. Pergament		East Hartford, CT 06108
		1100 State Road, Bldg. N	3	United Technologies Com
•		Princeton, NJ 08540	•	United Technologies Corp.
		Firecon, no comp		Chemical Systems Division
	3	SRI International		ATTN: R.S. Brown
	,			T.D. Myers (2 copies)
		ATTN: G. Smith D. Crosley		P.O. Box 50015
		D. Golden		San Jose, CA 95150-0015
		333 Ravenswood Avenue		
	1	Menlo Park, CA 94025	i.	•

No. Of		No. Of	
Copies	Organization	Copies	Organization
1	Universal Propulsion Company	2	University of Southern
•	ATTN: H.J. McSpadden	4	California
	Black Canyon Stage 1		Dept. of Chemistry
	Box 1140		
			ATTN: S. Benson
	Phoenix, AZ 85029		C. Wittig
•	Mandaan Machaelagu Isa		Los Angeles, CA 90007
. 1	Veritay Technology, Inc.		-
	ATTN: E.B. Fisher	1	Case Western Reserve Univ.
	4845 Millersport Highway		Div. of Aerospace Sciences
	P.O. Box 305	· · · · · · · · · · · · · · · · · · ·	ATTN: J. Tien
	East Amherst, NY 14051-0305		Cleveland, OH 44135
1	Brigham Young University	1	Cornell University
	Dept. of Chemical Engineering		Department of Chemistry
	ATTN: M.W. Beckstead		ATTN: T.A. Cool
	Provo, UT 84601		Baker Laboratory
			Ithaca, NY 14853
1 -	California Institute of Tech.		
	Jet Propulsion Laboratory	1	Univ. of Dayton Rsch Inst.
	ATTN: MS 125/159		ATTN: D. Campbell
	4800 Oak Grove Drive		AFRPL/PAP Stop 24
	Pasadena, CA 91103	a series	Edwards AFB, CA 93523
			nawaras arb, ca 73323
1	California Institute of	1	University of Florida
•	Technology	•	Dept. of Chemistry
	ATTN: F.E.C. Culick/		ATTN: J. Winefordner
	MC 301-46		Gainesville, FL 32611
	204 Karman Lab.		Garnesville, PL 32011
	Pasadena, CA 91125	3	Georgia Institute of
	labadena, on Files	٠,	Technology
1	University of California,		School of Aerospace
•	Berkeley		Engineering
	Mechanical Engineering Dept.		ATTN: E. Price
	ATTN: J. Daily		W.C. Strahle
	Berkeley, CA 94720		
	berkeley, CA 94720		B.T. Zinn
1	University of California		Atlanta, GA 30332
1	Los Alamos Scientific Lab.	•	Madaganathy of Tillanda
		1	University of Illinois
	P.O. Box 1663, Mail Stop B216		Dept. of Mech. Eng.
	Los Alamos, NM 87545		ATTN: H. Krier
•	Hadwanaday of California		144MEB, 1206 W. Green St.
2	University of California,		Urbana, IL 61801
•	Santa Barbara		1.b
• •	Quantum Institute	1	Johns Hopkins University/APL
	ATTN: K. Schofield		Chemical Propulsion
	M. Steinberg		Information Agency
	Santa Barbara, CA 93106		ATTN: T.W. Christian
			Johns Hopkins Road
			Laurel, MD 20707

No of			
No. Of	Ommand and all the	No. Of	
Copies	Organization	Copies	Organization
1	University of Michigan		
	University of Michigan Gas Dynamics Lab	1	Purdue University
	•		Department of Chemistry
	Aerospace Engineering Bldg.		ATTN: E. Grant
	ATTN: G.M. Faeth		West Lafayette, IN 47906
	Ann Arbor, MI 48109-2140		
_		2	Purdue University
· 1	University of Minnesota		School of Mechanical
	Dept. of Mechanical		Engineering
	Engineering		ATTN: N.M. Laurendeau
	ATTN: E. Fletcher		S.N.B. Murthy
	Minneapolis, MN 55455		TSPC Chaffee Hall
	• • • • • • • • • • • • • • • • • • • •		
3	Pennsylvania State University		West Lafayette, IN 47906
	Applied Research Laboratory		
	ATTN: K.K. Kuo	1	Rensselaer Polytechnic Inst.
	H. Palmer		Dept. of Chemical Engineering
		*	ATTN: A. Fontijn
	M. Micci	*	Troy, NY 12181
	University Park, PA 16802		
		1	Stanford University
1	Pennsylvania State University		Dept. of Mechanical
	Dept. of Mechanical Engineering		Engineering
	ATTN: V. Yang		ATTN: R. Hanson
	University Park, PA 16802		Stanford, CA 94305
		·	
1	Polytechnic Institute of NY	1	University of Texas
	Graduate Center		Dept. of Chemistry
	ATTN: S. Lederman		ATTN: W. Gardiner
	Route 110		Austin, TX 78712
	Farmingdale, NY 11735		70712
		1	University of Utah
2	Princeton University	•	Dept. of Chemical Engineering
	Forrestal Campus Library		ATTN: G. Flandro
	ATTN: K. Brezinsky		Salt Lake City, UT 84112
·.	I. Glassman		Date Bake City, DI 84112
	P.O. Box 710	1	Windshie Detubertet
	Princeton, NJ 08540		Virginia Polytechnic Institute and
1	Princeton University		State University
	MAE Dept.		ATTN: J.A. Schetz
	ATIN: F.A. Williams		Blacksburg, VA 24061
	Princeton, NJ 08544		
	114000000 NO 00344	l	Commandant
1	Durduo Hatuarates		USAFAS
4	Purdue University		ATTN: ATSF-TSM-CN
	School of Aeronautics		Fort Sill, OK 73503-5600
	and Astronautics		
	ATTN: J.R. Osborn	1	F.J. Seiler Research Lab (AFSC)
	Grissom Hall		ATTN: S.A. Shakelford
	West Lafayette, IN 47906		IISAF Academy, CO 80840-6528

No. Of Copies Organization Olin Chemical 1 ATTN: D. Cawlfield P.O. Box 248 Charleston, TN 37310 3 Olin Chemical ATTN: J.A. Leistra (1 copy) R. Dotson (2 copies) 24 Science Park S. Winchester Avenue P.O. Box 30-9644 New Haven, CT 06511 University of Illinois at Chicago ATTN: S. Murad Dept. of Chemical Engr. Box 4348 60680 Chicago, IL Johns Hopkins University ATTN: W. Koski Dept. of Chemistry Charles and 34th Streets 21218 Baltimore, MD Director Benet Weapons Laboratory Armament R&D Center US Army AMCCOM ATTN: J. Frankel Watervliet, NY 12189-4050 Morton Thiokol, Inc. 2 Elkton Division ATTN: R.A. Biddle P.O. Box 241

Aberdeen Proving Ground

Elkton, MD

Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen Cdr, USATECOM ATTN: AMSTE-TO-F Cdr, CRDEC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MII SMCCR-SPS-IL

21921-0241

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts. 1. BRL Report Number Date of Report 2. Date Report Received 3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) 4. How specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) 5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided or efficiencies achieved, etc? If so, please elaborate.__ 6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) Name Organization **CURRENT ADDRESS** Address City, State, Zip 7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below. Name OLD Organization **ADDRESS**

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

Address

City, State, Zip